Missouri Botanical Garden
Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Dr Biglow mi. Aug 11 1866

1 Lemna nodosa megarrhiza 28/7

2 L " intermedia 28/7

3 L nodosa geminata 28/7

4 L. accumbens fratemus 18/7

5 L. nodosa megarrhiza 1/8

6 L " " 3/8

7 L " geminata intermed. 2/8

8 L — — 3/8

— L alpina 3/8

~~9 L. accumbens~~ fratemus parva 17/7

10 ~~— — —~~

11 L " " " 18/7

12 L. nodosa gem. 18/7

13 " — — — — L. singularis 1/7

14 L accumbens 28/7

15 L. alpina 4/7

16 — — — 2/7

17 L. canadensis Brachyrrhiza 28/7

18 L — — Compacta 18/7

19 L — Brachyrrhiza 28/7

20 L — — 28/7

21 L — — 3/8

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9962

22 I. Cand. brachycephala 26/7

23 I. Ca " 2/8

no number I. acuminatus von fraternus Hofgen Cy.

November I. Canadensis von brachycephalus ? two Young.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Herr Dr. Engelmann

Hochwohlgeboren

Dallas

Texas

Dallas den 10ten August 1886

Geehrter Herr Doctor!

Ich sende hiemit einige Pflanzen welche ich mit Ausnahme der Cyperaceen meistens in einem Monat gesammelt habe. Die Cyperaceen sammle ich jetzt in einem Monat. Es ist mir nicht möglich mehrere auf einmal zu senden, da ich in einem Monat nur einen Tag in der Woche in den Bergen sammeln kann und der Rest der Woche mit Arbeit ausgefüllt ist. Es sind mehrere Arten darunter welche ich noch nicht kenne und welche Sie mir bestimmen können. Einige sind sehr häufig und werden in Menge gesammelt werden.

Mit vielen Grüßen

Ihr ergebener

Julius Dreyer

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Juncus in Herb Hort Upsalensis
ex coll. in Europa Linn'6.

Coll. Un. itin.

J. marginatus Rostk
as J. articulatus Mx.
Pennsylv. Moser

J. tenuis Willd. Pennsylv. Moser

J. paradoxus May
as J. nodosus Pennsylv Moser

J. echinatus Ell as J. polycephalus Mx
Ohio, Frank

J. debilis Gray ~~and~~
as J. acuminatus Mx
Pocono, Pennsylv.
Moser

Lindh. Texas

Fendler N Mex

Berlandier Mx Tex
744. is J. triceroides
1573 J. brachycarpus E

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9963

DEALER IN
PHARMACEUTICAL
Preparations,
FINE CHEMICALS,
And all the
New Remedies.

E. L. MASSOT,

CORNER OF
Fourth and Spruce Streets,
ST. LOUIS.

DISPENSING
AND
MANUFACTURING
PHARMACEUTIST.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

A. Commons, Centreville. Delaware
sent in April 1866 the following
species from his neighborhood.

Juncus effusus
— tenuis (& perhaps other states)
— bufonius
— repens (Salisbury Md)
— marginatus
— — var biflorus
— peloranthus (Canada)
— militaris (Salisbury Md)
— pelocarpus var fasciculatus
— scirpoides var macrostemon
— canadensis var congregatus

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9964

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Halls Tauri 2ank 1864

		Stck
1.	J. ~~brachycarpus~~ aegilopsis	3
2	J. ~~aegilopsis~~ brachycarpus	3
3	no opinion	
4	Ct. nodosus megacephalus	6
5	J. paradoxus	3
6	= 1	3
7	no opinion	
8	L. marginatus	

1400/29

874 -

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Enno Sander,

Ecke der Zweiten und Walnut Straße,

unter Barnum's Hotel,

Saint Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS
9965

C. Beyrich's Sunc in Herb
H.D. Mixon

~~I. acuminatus Mx? Gray!~~ I. brevicaudus
as: I. acuminatus β. humilis
Georgia

I. Elliottii Chapm.
as. I. acuminatus Am Sept

[both last labels confounded?]

I. debilis Gr var robustior
as I. polycephalus Am Sept

I. brachycarpus E.
as I. echinatus Charlst S.C.

I. tenuis Wills. June 11th 1833
sub I. tenuis Am. sept

I. dichotomus Ell
correct Am sept

I. repens Mx
correct Am sept

I. marginatus Rostk Charleston

I. deliquescens Rostk Am sept

in Hb. Short

I. marginatus Rost. in pratis ad Kentucky Cassli.

I. debilis Gr (sub non acuminatus Mich)
in loci uligines in Ca
(Carolina?)

I. repens Mx ad paludem marginis Georgiæ

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Missouri Botanical Garden
copyright reserved
cm 0 1 2 3 4 5 6 7 8 9 10

Deutsche Apotheke

—von—

John G. Schütze,

Südwestliche Ecke von Broadway und Morgan Straße,

St. Louis, Mo.

99bb

Juncoi Australiei

a me visi Mart. 1866

Triandri

J. effusus L. Tasmania, Gunn — Hb. Gray.

J. procerus Mey. Tasmania, Gunn — Hb. Gray.
sub nom J. vaginatus (ex parte)

J. vaginatus R Br. Tasmania Stuart (by Miller
— Hb Gray

"J. filiformis R & Sch." New Zealand, Raoul
— Hb Gray.

~~J. par~~ "J. australis H.f." Tasmania, Gunn
— Hb Gray.

J. pauciflorus R Br Port Jackson, Lieber
429 & 430 sub nom J. pallidus
Kunth Enu.

Hexandri

" " " Tasmania Gunn, Archer,
Stuart, &
Apollobay, Muller — Hb Gray

J. pallidus R Br Tasmania Gunn — Hb Gr.
& sub nom J. vaginatus Tasm. Gr. — Hb
ex parte.

J. Preissii pro temp. Pers Nov. Holl Bro 1864
in Herb. Hort Bot Mission.

Glomeruliflori

J. maritimus Lam New Zealand
— Hb Gray

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9967

Alex. Leitch

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

99688

Junc. 4.

2. 1.

Johann Jacob Bernhardi
Prof. Erfurt

~~J. F. Drège, Cape of Good Hope~~
Ecklon & Zeyher, see Linnaea XX. 243
Juncus spretus Schult.

99686

Juncus effusus

Ed. C. Money Phld.

These labels without date and name of Collector occur very frequently — who can the writer be — a Philadelphian?

Reference?

99688

Juncus plebejus Rtbr.
Agrostotheca. No. 17.

F. W. Sieber Agrostotheca
New Holland

Juncus? unde?

99688

1815.

Karl Ernst August Weihe scrip.

99688

Juncus acutiflorus
ex pratis liberis
Menningshausen
Weihe

C. L. Zeyher, J. F. Drège, J. Ecklon and Ecklon & Zeyher have collected plants at the Cape of Good Hope, of which many specimens are in their Collection. See about them Linnaea XIX. p. 583 and XX. p. 181.

The numbers in brackets on the labels designate the first (1–106) the localities, which see in Linnaea XIX. 584, the second (1–12) the month of the year when collected. See also Drège in Flora (Regensburg) 1843, and E. Meyer's Commentatorium

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

2471.a. 9968G

2471 Juncus supiniis Kunth
Cape of Good Hope — J. F. Drège leg.

Juncus oxycarpus E. Mey. a 9968H

Juncus oxycarpus E. Mey.
Cape of Good Hope, Drège leg

Juncus prismatocarpus R. Br.
Fl. Novæ Holl. No. 431. 9968I

Junco prismatocarpus
Fl. Novæ Holl. No. 431.

Kang Wilhelm Sieber Flora Nov. Holland No. 431

1573. 9968J

Mexico. April

Dr Berlandier
mostly plants from the Rio Grande, Matamoras
and the southern parts of Texas
1573 = Hb. Gray is from the Guadalupe River Texas

Junius echinatus Ell. 9968K

Charles Beyrich
1833 Charleston S.C.

P. Charleston 11/6 33
Beyrich

1553. 9968L

1553 Nestes
Preiss
Nov Holland

Juncus diffusus.
stamina 6.
medulla farcta.
culmus levissime striatus 9968M

J. diffusus Hoppe Deut Gram
u. in Regensb. Bot Zeit
David Heinrich
v Hoppe ipse scripsit!

Nro 20. 9968N

Juncus
plant by Bertandi with J. glaucus
Japonica?

Juncus acuminatus. 9968O
in subhumidis circa Tanger.

Juncus fasciculatus Schousb
J. acuminatus Salzm. Pl. Tingitan
non Mich.

Salzmann's plants Tingitana

Juncus multiflorus. Desf.
Damiatte. 9968P

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

99684

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

JUNCUS CANALICULATUS, n. sp.—A coarse plant of the section *Graminei*, 3 feet or more high from a cespitose rootstock with stout terete stems and numerous concave or channeled leaves 2 or 3 of them with auricled sheaths on the stem; heads 3 to 8-flowered on slender branches in a decompound rather contracted panicle; flowers light greenish-red over 2 lines long, sepals of nearly equal length with membranaceous margins, inner acute, outer ones acuminate; stamens 6, two-thirds the length of the sepals, long linear red-brown anthers longer than the filaments; ovary attenuated into a slender style bearing very long exsert stigmas, 1 celled; fruit and seed unknown.—San Bernardino Mountains at 4,000 feet alt. S. B. and W. F. Parish. Abundantly distinguished from the allied *J. marginatus*, with which it has in common the brown-red anthers, otherwise rare in the genus, by the stouter habit, the long coarse deeply channeled leaves, larger flowers, acute sepals, acuminate ovary, long style and stigmas. – G ENGELMANN.

Botan Gazette Jan 1882

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9969

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

JUNCUS RUGULOSUS, n. sp. Pale green, transversely rugose and rough, stems 2–4 feet high from a stout running rhizoma, very weak, leafy; leaves septate; panicle lax, decompound, 6–8 inches long and wide; heads with hyaline bracts, 3–5–8-flowered; sepals linear-lanceolate very acute, nearly equal, the outer carinate 1-nerved, the inner 3 nerved; stamens 6, much shorter than sepals, linear anthers shorter than filaments; capsule exceeding the calyx, lanceolate, acute, 3-angled, 1-celled; seeds acute at both ends but not caudate, reticulate.

(San Bernardino) Botan Gazette, June 1881

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9970

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Caphams Hort June 1866

Dr F. J. Jung spelt by Capt Young

L. longistylis for Red River of the north.

L. Canadensis longiscaulis Lake Superior

L. rodosus magnicephalus Red River of the North, brown heads

L. campestris W Boott Massachusetts

parvulus effusus, caule debili semipedalis

L. pelocarpus St Peters Dr Parry

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9971

36 – 40 , 60
18 20 30
30 34 50

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

28 – 36
6/14 – 18
2.3 3.0

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN